Velammal Institute of Technology chennai

DEPARTMENT OF MECHANICAL ENGINEERING

SEMESTER – VII

ME 6005 PROCESS PLANNING AND COST ESTIMATION

QUESTION BANK

UNIT – I

INTRODUCTION TO PROCESS PLANNING

	PART – A (2 Marks)		BT1	
1	Define process planning.		BT3	
2	Select the process parameter for setting machines and tooling's.		BT1	
3	Identify the process planning activities.		BT2	
4	Summarize the factors influencing process selection.		BT2	
5	Summarize the use of drawings interpretation in processing requirement.		BT1	
6	Quote the data is listed for each component of the product in the process sl	heet	BT1	
7	List the use of process Sheet.		BT5	
8	Prioritize the sort of information can the process planner obtained from			
	the engineering drawing of the component.		BT2	
9	Give a procedure for process planning for the manufacture of a component	t	BT1	
10	in machine shop.		BT2	
10	List the objectives of process planning.		BT3	
11	1		BT1	
12	Illustrate the factors considered for selection of machines and tooling's.		BT3	
13	Show the steps involved in process design.		BT4	
14	Classify the work holding Devices and why they are used.		BT6	
15	Point out the main inputs and outputs for process planning activity.		DTT4	
16	Originate the advantages and disadvantages of process planning		BT4	
17	Assume a process flow chart and how would it be used to help formulate a process plan.	l	BT5	
18	Justify the importance of process planner to have a good knowledge of ma	terials		
10	used in manufacturing?		BT4	
19	Categorize the main approaches of process planning.		BT6	
20	Compose the documents required for Process Planning?		D T 1	
	PART – B		BT1	
1	(a) Identify the steps involved in Process Design.	(8)	BT1	
	(b) Examine the basic factors affecting Process Design.	(8)	BT1	
2	(a) Describe the steps or procedures involved in Process Planning.	(10)	BT1	
	(b) Show the data is listed for each component of the product in the proces	s sheet.(6)	BT4	
3 E	2 Explain with past skatch and the stars followed for material selection process and			
	methods.	(16)	BT1	

4 Show the two approaches to Process Planning in the context of CAPP (Computer

	Aided Process Planning)? Explain them clearly.	(16)	
5	Explain briefly the factors considered for selection of Equipments f	or process	BT4
	planning?	(16)	
6	(a) Discuss the various parameters considered in the material selection?	(8)	BT2
	(b) Summarize the documents required for Process Planning?	(8)	BT2
7	(a) Classify the four distinct processing strategies	(8)	BT2
	(b) Summarize the process layout with neat sketch.	(8)	BT2
8	Describe the various factors which govern the selection of a manufacturin	ng process.	BT1
		(16)	
9	Identify and describe at least five types of geometrical tolerances?	(16)	BT3
10	Generalize the factors that affect tooling performance.	(16)	BT6
11	Summarize the factors are taken into consideration in Process Selection a	nd Machine	BT2
	Selection?	(16)	
12	Explain briefly the constraints that must be considered in tool selection	(16)	BT5
13	Analyze briefly about the tooling for machinability.	(16)	BT4
14	Illustrate the three analyses that can be carried out during drawing interpr	etation.(16)	BT3


UNIT – II

PROCESS PLANNING ACTIVITIES


PART – A (2 Marks)

1	Give the factors that considered in Depth of Cut.	BT2
2	List the factors Considered for selecting Process parameter.	BT1
3	A planer is capable of 15 strokes per minute over a stroke length of 2m. The cutting time ratio for the machine is 4:3. Determine cutting speed.	BT1
4	Infer the factors previously considered for the tooling decision are the most influential on the calculation of the process parameters.	BT3
5	What are the general recommendations for cutting depths for turning and boring?	BT2
6	Define cutting speed.	BT1
7	Classify how milling operations can be classified.	BT2
8	Classify the three basic functions of Jig.	BT3
9	Show the general factors that will influence the design and/or construction of a work holder.	BT3
10	Analyze the basic principles of jig and fixture design can be categorized	BT4
11	Show the main reasons for the use of jigs and fixtures.	BT1
12	Draw the flow chart for design methodology for work holders	BT6
13	Categorize the main factors to be considered for work holding device.	BT4
14	Point out the quality function for process plan	BT4
15	Discuss how does the process planner use cost data?	BT6
16	Assess the three elements of Direct cost	BT5
17	Summarize major influences on the cost of materials for manufacture(BT-5)	BT5
18	Quote the purpose of work holding Devices	BT1
19	Calculate the spindle speed required to turn a 75mm diameter shoulder on a low-	
	carbon steel component using a high-speed steel tool. What is the percentage increase in cutting speed if a carbide tool is used instead?	BT1
20	Illustrate the formula to calculate the machining times for turning and boring.	BT2
	PART – B	
1	The top surface of the aluminum alloy component shown in Fig is to be milled by slab milling. It will be machined by a \emptyset 20mm HSS cutter with eight cutting teeth at a	BT1
	constant surface speed of 45m min^{-1} . The depth of cut is 4 mm and the milling	
	machine is capable of spindle speeds of up to 3000 rpm. Determine: (16)	
	(i) if the mill is capable of machining the component at the required surface speed	


(ii) the total machining time for the component if the mill is capable.




- 2 Summarize the general recommendations for cutting depths for turning, boring, milling and Drilling? (16)
- For the part shown in Fig. calculate the maximum surface speeds for facing, turning BT1 all surfaces and parting off. The maximum spindle speed of the lathe being used is 600rpm. (16)



4 Consider the component shown in Fig, and design a suitable type of jig for drilling BT3 the Ø10 mm holes, assuming the holes are manufactured last. (16)



- 5 Calculate the spindle speed required to turn a 75mm diameter shoulder on a low- BT1 carbon steel component using a high-speed steel tool. What is the percentage increase in cutting speed if a carbide tool is used instead? (16)
 - 6 Describe depth of cut and what are the most important factors that affect the depth of BT1 cut possible when machining? (16)
 - 7 Consider the part shown in Fig. This is to be machined on a milling machine in three operations as given in Table Using this information, determine: (16)
 (i) suitable speeds (rpm) and feeds (mm rev⁻¹) for each operation;
 - (ii) the total machining time.



8	(a) Show the seven quality control tools and technic	ques relate to qu	• 1	BT3
	and problem solving?		(10)	
	(b) Compare the difference between process control	ol and process ca	apability?	BT3
(6)	9 Explain the typical quality characteristics are mea	sured in quality	control? (8)	BT4
	Compare the difference when 'measuring' variable	s and attributes	? (8)	BT4
10	A large computer manufacturer requires 1200 pr	rinted circuit bo	ard (PCB) carriers	BT3
	every month for the production of the PCBs themse	elves. Within the	eir tool room, they	
	have a variety of machining processes available an	d the carriers are	e produced on a	
	conventional milling machine. The following infor	mation relates to	o the PCB carrier	
	manufacture:		(16)	
	Set-up time	1 h 20 min		
	Machining time	39 min		
	Material cost/unit	Rs.5.62		
	Machinist's hourly rate	Rs.9.85/h		
11	Formulate a case study for the standard parts of Jig	s and fixtures.	(16)	BT6
12	(a) Point out the documents required for Process Pl	lanning?	(8)	BT4
	(b) Analyze the different factors considered in deve	loping a manufa	cturing logic? (8)	BT4
12	Explain the main categories of cost and how are the	ey related?	(8)	BT4
13	Explain prime cost and how does it relate to the co	st categories.	(8)	BT4
14	(a) Summarize the main factors must be considered	d according to th	e principles of jig	BT2
	and fixture design?	-	(10)	
	(b) Discuss the main steps in designing a jig/fixture	e?	(6)	BT2

_

UNIT – III

INTRODUCTION TO COST ESTIMATION

PART - A (2 Marks)

1	Define cost accounting.		BT1
2	Distinguish between cost estimation and cost accounting.		BT2
3	List the types of estimates		BT1
4	Classify the sources of cost estimation?		BT4
5	Point out any two objectives of cost estimation		BT4
6	Summarize batch costing		BT5
7	Describe briefly standard data		BT2
8	Define under estimate		BT1
9	Explain about target cost		BT5
10	Explain briefly about conceptual cost estimating		BT4
11	Define contingency allowances		BT1
12	Illustrate briefly the characteristics of realistic estimates?		BT3
13	Classify the allowances considered in cost estimation		BT3
14	Give the methods of costing		BT2
15	Demonstrate how the standard data is developed?		BT3
16	Explain briefly about depreciation?		BT4
17	Define multiple cost method		BT1
18	Generalize the meaning direct material with an example		BT6
19	Give any two functions of cost estimation		BT2
20	Define parametric estimating		BT1
	PART – B		
1	(a) Discuss the objectives of cost estimation	(10)	BT2
	(b) Give the advantages of cost accounting	(6)	BT2
2	With suitable application examples classify costs	(16)	BT3
3	(a) Discuss various types of estimates	(10)	BT2
	(b) Explain the data requirements for cost estimation and their source	es (6)	BT4
4	(a) Describe the different methods of estimates	(10)	BT1
	(b) Explain the allowances in estimation	(6)	BT4
5	Describe step by step procedure for estimating the direct material co	st (16)	BT1
6	Explain the various allowances to be considered in estimation of direct	ect labour cost	BT4
		(16)	
7	(a) Differentiate cost accounting and cost estimating	(8)	BT2
	(b) Give the basic steps in cost estimation	(8)	BT2
8	Calculate prime cost, factory cost, production cost, total cost and sel	ling price per	BT3
	item from the data given below for the year 2012-13	(16)	
		Rs 25,000	
	1	Rs 40,000	
		Rs 14,000	
	Direct expense -	Rs 1,000	

	Factory/work overheads Administrative expenditure Selling and distribution expenses No. of items produced Cost of raw material in stock as on 31.03.2013 Net profit of the items is 10% of the total cost of the produ	- Rs 9,750 - Rs 6.500 - Rs 3,250 - 650 - Rs 15,000 act	
9 With of cos	the help of block diagram explain the relationship between v st	arious components (16)	BT4
10 Desci	tibe the various allowances in estimation with suitable justified	ication (16)	BT1
	ralize the meaning of analytical estimating? Write its proced ations and applications	ure, advantages, (16)	BT6
	ate prime cost, works/factory cost, production cost , total cos llowing data for a sewing machine manufacturer	at and profit from (16)	BT3
	Value of stock material as on 01.04.2010 Material purchase Wages to labour Depreciation of plant and machinery Depreciation of office equipments Rent, taxes and insurance of factory General administrative expense Water, power and telephone bills of factory Water, lighting and telephone bills of office Material transportation in factory Rent of office building Direct expenses Commission and pay of salesman Repair and maintenance of plant Works manager salary Salary of office staff Value of stocks of material as on 31.03.2011 Sale of products	Rs 26,000 Rs 2,74,000 Rs 1,20,000 Rs 1,20,000 Rs 2,000 Rs 2,000 Rs 3,400 Rs 9,600 Rs 2,500 Rs 2,500 Rs 2,000 Rs 2,000 Rs 5,000 Rs 1,000 Rs 1,000 Rs 60,000 Rs 6,36,000	
	scribe the various components of job estimate	(8)	BT1
	xplain the procedure followed for estimating the cost of an indu	-	BT4
and c	tory has 15 lathes of same make and capacity and five shape apacity. Lathe occupies 30m.sq. area while shaper occupies alendar year factory expense for the section area are as follo	15m.sq. During	BT5
	(i) Building rent and depreciation(ii) Indirect labour and material	5,000 15,000	

(iii) Insurance	2,000
(iv) Depreciation charges of lathe	5,000
(v) Depreciation charges of shapers	3,000
(vi) Power consumption for lathe	2,000
(vii) Power consumption for shapers	1,000

Evaluate the machine hour rate for lathes and shapers work for 25,000 hrs and 8,000 hrs respectively (16)

UNIT – IV

PRODUCTION COST ESTIMATION

PART – A (2 Marks)

1	How do you estimate the time required for forging?	BT2
2	Explain the actual welding costs involved in estimation in welding shop?	BT5
3	List the losses to be considered in estimating the gross weight of a forging component	BT1
4	Recommend the costs to be considered for estimating electric welding cost of a product?	BT5
5	Illustrate how to estimate the gas cutting costs	BT3
6	Give the losses in forging process.	BT2
7	List the various sections that will be normally found in a foundry shop.	BT1
8	List the various elements of cost involved in the total cost of manufacturing a casting.	BT1
9	Explain overhead expenses.	BT4
10	Explain how cost estimation is done in respect of a welded component or welding job.	BT4
11	List the various elements of cost involved in weldment or a welded component.	BT1
12	What are the various costs involved in the calculation of total cost of forged components.	BT3
13	What is pattern making and fettling in foundry? Generalize it	BT6
14	Differentiate leftward and rightward welding?	BT2
15	List the types of forging processes	BT1
16	Explain machine forging or upset forging in a brief manner.	BT4
17	Define press forging	BT1
18	Generalize the meaning of tonghold loss in forging?	BT6
19	Describe briefly a sprue loss?	BT2
20	Give the formula for calculating the cost of power consumed in arc welding.	BT2

PART – B

Process	Time per piece	Labour charges per hr	Shop overheads per hr
Moulding and pouring	10 min	Rs. 30	Rs. 30
Casting removal, gate cutting etc	4 min	Rs. 10	Rs. 30
Fettling and inspection	6 min	Rs. 10	Rs. 30

Calculate the total cost of CI (Cast Iron) cap shown in Fig. 5.1, from the following data : = Rs. 30 per kg

Cost of molten iron at cupola spout

Process scrap

1

Process scrap return value

Administrative overhead charges

- Density of material used


The other expenditure details are :

- = 17 percent of net wt. of casting = Rs. 5 per kg
- = Rs. 2 per kg of metal poured.

= 7.2 gms/cc

(16)

BT3



2 (a) A cast iron component is to be manufactured as per Fig. 5.2. Estimate the selling price BT2 per piece from the following data : (8)

Density of material	= 7.2 gms/cc
Cost of molten metal at cupola spout	= Rs. 20 per kg
Process scrap	= 20 percent of net weight
Scrap return value	= Rs. 6 per kg
Administrative overheads	= Rs. 30 per hour
Sales overheads	= 20 percent of factory cost
Profit	= 20 percent of factory cost

Other expenditures are:

Operation	Time (min)	Labour cost/hr (Rs.)	Shop overheads/hr (Rs.)
Moulding and pouring	15	20	60
Shot blasting	5	10	40
Fettling	6	10	40

The component shown is obtained after machining the casting. The pattern which costs Rs. 5,000 can produce 1,000 pieces before being scrapped. The machining allowance is to be taken as 2 mm on each side





Fig. 5.2 (a) Component as cast, (b) Finished component (All dimensions are in mm).

(b)A lap welded joint is to be made as shown in Fig. 5.4

Electrode diameters

Electrode length



Estimate the cost of weld from the following data ·

	Estimate the cost of weld from the following data :			
	Thickness of plate	= 10 mm		
	Electrode diameter	= 6 mm		
	Minimum arc voltage	= 30 Volts		
	Current used	= 250 Amperes		
	Welding speed	= 10 meters/hour		
	Electrode used per meter of weld	= 0.350 kgs		
	Labour rate	= Rs. 40 per hour		
	Power rate	= Rs. 3 per kWh		
	Electrode rate	= Rs. 8.00 per kg		
	Efficiency of welding m/c	= 50 percent		
	Connecting ratio	= 0.4		
	Overhead charges	= 80 percent of direct charges		
	Labour accomplishment factor	= 60 percent		
3Calculate	the welding cost from the following d	lata :	(16)	BT3
	Plate thickness	= 12 mm		
	Form of joint	$= 60^{\circ} V$		
	Root gap	= 2 mm		
	Length of joint	= 2 meters		

- = 2 meters
- = 3.5 mm and 4.0 mm
- = 350 mm

BT2

(8)


Electrodes required per meter weld	= 10 nos. of 3.5 mm dia and for 100 per cent efficiency and 24 nos. of 4 mm dia 50 mm stub length
Average deposition h	= 80 percent
e i	1
Melting time per electrode	= 1.3 minutes for 3.5 mm dia and 1.50 minutes for 4 mm dia electrode
Connecting ratio	= 2
Hourly welding rate	= Rs. 40
Overhead charges	= 40 percent of welding cost

4 Evaluate the welding cost for a cylindrical boiler drum $2.5 \text{ m} \times 1 \text{ m}$ diameter which is to be made from 15 mm thick m.s plates. Both the ends are closed by arc welding of circular plates to the drum. Cylindrical portion is welded along the longitudinal seam and welding is done both in inner and outer sides. Assume the following data: (16)

= 2 meters per hour on inner side and
2.5 meters per hour on outer side
= 1.5 m/meter of weld length
= Rs. 0.60 per meter
= 4 kWh/meter of weld
= Rs. 3/kWh
= Rs. 40/hour
= 200 percent of prime cost
= 5 percent
= 6 percent of welding time

5 (a) A container open on one side of size $0.5 \text{ m} \times 0.5 \text{ m} \times 1 \text{ m}$ is to be fabricated from 6 BT3 mm thick plates Fig. 5.5. The plate metal weighs 8 gms/cc. If the joints are to be welded, make calculations for the cost of container. The relevant data is: (8)

Cost of plate	= Rs. 10 per kg
Sheet metal scarp (wastage)	= 5 percent of material
Cost of labour	= 10 percent of sheet metal cost
Cost of welding material	= Rs. 20 per meter of weld.




(b) Estimate the cost of welding two pieces of mild steel sheets 1 meter long and 7 mm
b) BT2 thick. A 60° V is prepared by means of gas cutting before welding is to the commenced.
c) The cost of Oxygen is Rs. 7/cu meter and of acetylene is Rs. 4/cu meter. The filler metal costs Rs. 20 per kg. The following data is also available:


For gas cutting (For 10 mm thick plate)			
Cutting speed	= 20 m/hr		
Consumption of Oxygen	= 2 cu meter/hr		
Consumption of acetylene	= 0.2 cu meter/hr		
Data for Rightward Welding (For 7 mm thick plate)			
Consumption of Oxygen	= 0.8 cu meter/hr		
Consumption of acetylene	= 0.8 cu meter/hr		
Dia of filler rod used	= 3.5 mm		
Filler rod used per meter of weld	= 3.4 meters		
Rate of welding	= 3 meters/hr		
Density of filler metal	= 8 gm/cc		

g data is available:	
Cost of filler material	= Rs. 60 per kg
Cost of oxygen	= Rs. 700 per 100 cu meters
Cost of acetylene	= Rs. 700 per 100 cu meters
Consumption of oxygen	= 0.70 cu m/hr
Consumption of acetylene	= 0.70 cu m/hr
Diameter of filler rod	= 4 mm
Density of filler material	= 7.2 gms/cc
Filler rod used per meter of weld	= 340 cms
Speed of welding	= 2.4 meter/hr

Labour is paid Rs. 20 per hour and overheads may be taken as 100 percent of labour cost.



7 Calculate the net weight and gross weight for the component shown in Fig. 5.7.Density of BT3 material used is 7.86 gm/cc. Also calculate: (16)




(i) Length of 14 mm dia bar required to forge one component.

(*ii*) Cost of forging/piece if:

Material cost = Rs. 80 per kg Labour cost = Rs. 5 per piece = 150 percent of labour cost Overheads


8 150 components, as shown in Fig. 5.8 are to be made by upsetting a f 20 mm bar. Estimate BT2 the net weight, gross weight and length of f 20 mm bar required. The density of material may be taken as 7.86 gms/cc. (16)



9(i) Analyze the cost of forging a crank shaft as shown in Fig. 5.9. The forging is to be BT4 made out of a bar stock of 50 mm f and following data is available: (8)

> = Rs. 80 per kg (*i*) Material price

- (*ii*) Direct labour charges = Rs. 23 per piece (*iii*) Overhead charges
 - = 150 percent of material cost
- = 7.5 gms/cc(*iv*) Density of material
- (v) Losses = 28 percent of net weight



(8)

BT1

(ii) Describe the following:

(a) Distribution of die cost on individual components.

- (b) Material cost in costing of cast products.
- (c) Process scarp in a casting process

Fettling and cleaning

10	10 A foundry unit produces tractor components as cast. Analyze the selling price of a		
	component weighing 50 kgs from the following data :	(16)	
	(<i>i</i>) Material of component is cast iron with density	=7.2 gms/cc	
	(<i>ii</i>) Cost of molten iron at cupola	= Rs. 2.50 per kg	
	(iii) Process scrap	= 17 percent of net weight	
	(<i>iv</i>) Scrap return value	= Rs. 1.10 per kg	
	(v) Administrative and sales overheads	= Rs. 5 per casting	
	(vi) Agents commission	= 5 percent of sales price	
	(vii) Profit	= 10 percent of total cost	
	(<i>viii</i>) Other expenditure is given in table below:	-	

Operation	Time per component (minutes)	Labour cost component (Rs.)	Shop overheads per hour (Rs.)
Moulding and pattern making	6	0.90	3.00
Core making	8	0.80	4.00

10

- 11 (a) List the various elements considered while calculating the cost of a welded joint?(8) BT1
 - (b) Describe: direct material cost and direct other expenses in costing of welded joint (8) BT1

1.00

8.00

12 (a) Evaluate the cost of welding of two plates $100 \times 100 \times 8$ mm thick to obtain a plate of BT5 dimensions $200 \times 100 \times 8$ mm. The following data is available: (8) (i) Welding is done on both the sides

(<i>i</i>) weiging is done on both the sides	
(<i>ii</i>) Electrode diameter	= 5 mm
(iii) Electrode used per meter of weld	= 0.500 kg
(<i>iv</i>) Minimum arc voltage	= 30 Volts
(v) Current used	= 225 Amperes
(vi) Labour charges	= Rs. 10/meter of weld
(vii) Electrode price	= Rs. 10/kg

(viii) Efficiency of welding machine	= 50 percent
(<i>ix</i>) Welding speed	= 2 meters/hour
(<i>x</i>) Ratio of operating to connecting time	= 1.5


(b) Evaluate the cost of filler material and gases consumed in welding of two plates 8 mm BT5 thick and 1.5 m long. Gas cutting is used to make 60°-V on the edges of both the plates. The cost of Oxygen is Rs. 10 per cu meter and cost of acetylene is Rs. 5 per cu meter. The filler rod costs Rs. 6.50/kg. Take other data from the tables. Density of filler metal is 10 gms/cc.

A rectangular frame shown in Fig. 5.28 is to be made using plates of 300 cm × 6 cm × 4
 mm and 200 cm × 6 cm × 4 mm sizes. Analyze the cost of filler metal and gases used to make 100 frames. The following data is available for leftward welding:

1	1	6)
L.	Т	07

(10)	
(<i>i</i>) Dia of filler rod	= 3.00 mm
(<i>ii</i>) Filler rod used per meter of weld	= 2.10 meters
(iii) Density of filler rod material	= 11 gms/cc
(<i>iv</i>) Consumption of Oxygen/hour	= 0.20 cu meter
(<i>v</i>) Consumption of acetylene per hour	= 0.20 cu meter
(vi) Welding speed	= 4.6 metres/hour
(vii) Cost of Oxygen	= Rs. 80/100 cu meter
(viii) Cost of acetylene	= Rs. 500/100 cu meter

Welding is to be done on both sides of the frame.





14 (a) What are the various losses considered while calculating the material cost for a forged BT1 component? Describe the various constituents of cost of a forged component. (8)

(b) Estimate the net weight and gross weight for the manufacture of 500 levers shown in BT2 Fig. 5.29. The material weighs 7.8 gms/cc and the total losses account for 25 percent of net weight of the lever. Also calculate: (8)




Fig. 5.29. Lever (all dimensions in mm).

(*i*) Length of 3 cm diameter rod required/component.

(*ii*) The cost of forging 500 pieces if the material costs Rs. 80 per kg, labour cost is Rs. 5per piece and overheads are 25 percent of material cost.

$\mathbf{UNIT} - \mathbf{V}$


INTRODUCTION TO COST ESTIMATION

PART – A (2 marks)

1	Define cycle time.	BT1
2	List various factors affecting cutting speed.	BT1
3	How will you calculate the time required for drilling a hole in an object?	BT3
4	Estimate the milling time to cut 60 teeth on a gear blank 60 mm thick; feed 35 mm/min and take overall set up time as 10 minutes	BT2
5	Calculate the time required for turning operation	BT3
6	List the major objectives in machining industries?	BT1
7	Discuss briefly about the necessities to determine the actual machining time?	BT1
8	List the major factors to be considered for selecting cutting velocity for machining operations?	BT1
9	List the major factors to be considered for selecting value of feed for machining operations?	BT1
10	Differentiate length of cut and depth of cut	BT2
11	Define machining time.	BT1
12	Explain briefly the types of machining processes in the machine shop	BT4
13	Define spot facing	BT1
14	Explain briefly about boring	BT4
15	Give the formula for estimation of machining time for drilling	BT2
16	Differentiate planer and shaper	BT2
17	Give the types of grinding machine	BT2
18	Define Set-up time	BT1
19	Differentiate horizontal and vertical milling	BT2
20	Explain briefly about handling time in machining	BT5
	DAPT - R	


PART – B

1 Calculate the machining time to turn the dimensions shown in Fig. 5.22. Starting BT3 from a m.s. bar of f 80 mm. The cutting speed with HSS tool is 60 meters per minute and feed is 0.70 mm/rev., depth of cut is 2.5 mm per pass. (16)




2 A mild steel bar 100 mm long and 38 mm in diameter is turned to 35 mm dia. And was again turned to a diameter of 32 mm over a length of 40 mm as shown in the Fig.

5.23. The bar was machined at both the ends to give a chamfer of $45^{\circ} \times 5$ mm after facing. Calculate the machining time. Assume cutting speed of 60 m/min and feed 0.4 mm/rev. The depth of cut is not to exceed 3 mm in any operation. (16)



3 A mild steel shaft, shown in Fig. 5.24 is to be turned from a 24 mm dia bar. (16) BT5



The complete machining consists of the following steps :


(*i*) Facing 24 mm f on both sides

- (*ii*) Turning to f 20 mm
- (*iii*) Drilling f 8 mm hole
- (*iv*) Knurling

With H.S.S tool the cutting speed is 60 m/min. The feed for longitudinal machining is 0.3 mm/rev. The feed for facing, 0.2 mm/rev., feed for knurling 0.3 mm/rev., and feed for drilling is 0.08 mm/rev. Depth of cut should not exceed 2.5 mm in any operation. Evaluate the machining time to finish the job

4 (a)Estimate the machining time required to produce one piece of the component BT2 shown in Fig. 5.25 starting from f 25 mm bar. The following data is available.

(8)




For turning:	
Cutting speed	= 40 m/min.
Feed	= 0.4 mm/rev.
Depth of cut	= 2.5 mm/per pass
For thread cutting:	
Cutting speed	= 8 m/min.

(b) Estimate the time taken to drill a 25 mm dia \times 10 cm deep hole in a casting. First BT2 a 10 mm dia drill is used and then the hole is enlarged by a 25 mm dia drill. Assume:

a drill is used and then the hole	e is enlarged by a 25 mm	dia drill. Assume:
Cutting speed	= 15 m/min.	(8)
Feed for f 10 mm drill	= 0.22 mm/rev.	
Feed for f 25 mm drill	= 0.35 mm/rev.	

5 Estimate the machining time to drill four 8 mm dia holes and one 40 mm dia central bole in the flange shown in Fig. 5.26. (16)






Fig. 5.26


20 mm dia hole is drilled first and then enlarged to 40 mm f hole. Take cutting speed 10 m/min, feed for 8 mm drill 0.1 mm/rev, for 20 mm drill feed is 0.2 mm/rev. and for 40 mm f drill feed is 0.4 mm/rev.

6 (a) Analyze the time required to tap a hole with 25 mm dia tap to a length of 30 mm baving 3 threads per cm. The cutting speed is 10 m/min. For return stroke the speed is 2 times the cutting speed.
(8)

(b) A 300 mm \times 50 mm rectangular cast iron piece is to be face milled with a carbide BT3

cutter. The cutting speed and feed are 50 m/min and 50 mm/min. If the cutter dia is 80 mm and it has 12 cutting teeth, calculate: (8)

- (*i*) Cutter r.p.m.
- (ii) Feed per tooth
- (*iii*) Milling time
- 7 A T-slot is to be cut in a C.I. slab as shown in Fig. 5.27. Analyze the machining time. BT4 Take cutting speed 25 m/min, feed is 0.25 mm/rev. Dia of cutter for channel milling is 80 mm.



(a) Estimate the time required on a shaper to machine a plate $600 \text{ mm} \times 1,200 \text{ mm}$, if 8 BT2 the cutting speed is 15 meters/min. The ratio of return stroke time to cutting time is 2: 3. The clearance at each end is 25 mm along the length and 15 mm on width. Two cuts are required, one roughing cut with cross feed of 2 mm per stroke and one finishing cut with feed of 1 mm per stroke. (8) (b) Mild steel shaft 30 cm long is to be rough ground from 43.3 mm dia to 43 mm dia BT5 using a grinding wheel of 40 mm face width. Evaluate the time required to grind the job assuming work speed of 12 m/min and depth of cut 0.02 mm per pass. (8) 9 Analyze the time required to manufacture the tapered cylindrical job of dimensions; BT4 minor diameter 30 mm, major diameter 80 mm and length 120 mm from a given round bar of 80 mm diameter and 120 mm length. Assume: (16)

Cutting speed	= 75 m/min.	
Max. feed by compound rest	= 0.05 mm/rev	
Depth of cut should not exceed 4 mm.		

- Examine the planing time for a casting 1.25 m long and 0.5 m wide which is BT1 machined on a planer having cutting speed of 12 m/min and a return speed of 30 m/min. Two cuts are required, one roughing with a depth of 3.125 mm and a feed of 0.1 mm/rev and other finishing with a depth of 0.125 mm and using a feed of 0.125 mm.
- 11 Estimate the time taken to prepare a job as shown in Fig. 3 from M.S (Mild Steel) BT2 stock bar 4 cm in diameter and 7.5 cm long. Assume the following data: (16)

Cutting speed for turning and boring operation	= 20 m/min.
Cutting speed for drilling operation	= 30 m/min.
Feed for turning and boring operation	= 0.2 mm/rev.
Feed for 20 mm drill	= 0.23 mm/rev.
Depth of cut not to exceed 3 mm in any operation	

Fig. 3

- 12 A 3 cm deep slot is to be milled with a 8 cm diameter cutter. The length of the slot is 30 cm. What will be the total table travel to complete the cut? If the cutting speed is 20 metres/min and feed per tooth is 0.2 mm, examine the milling time. The cutter has 24 teeth and one cut is sufficient for the slot.
 (16)
- 13 (a) A 15 cm long M.S bar is to be turned from 4 cm dia in single cut in such a way that for 5 cm length its dia is reduced to 3.8 cm and remaining 10 cm length is reduced to 3.4 cm. Estimate the total time required for turning it assuming cutting speed as 30 m/min., feed as 0.02 cm/revolution and time required for setting and mounting of the job in a three jaw chuck is 30 sec. Neglect the tool setting time. Examine the time required for knurling 5 cm length at 20 m/min and feed 0.03 cm/rev.?

(10)

(b) Estimate the time required for cutting 3 mm pitch threads on a mild steel bar of	BT2
2.8 cm dia and 8 cm long. Assume the cutting speed for threading as 15 m/min. (6)	
14 (a) A 20 cm \times 5 cm C.I. surface is to be faced on milling machine with a cutter	BT1
having a dia of 10 cm and 16 teeth. If the cutting speed and feed are 50 m/min and 5	
cm/min respectively, examine the milling time, r.p.m. of the cutter and feed per tooth.	
(8)	
(b) Find the time required for doing rough grinding of a 15 cm long steel shaft to	BT5
reduce its dia from 4 cm to 3.8 cm with the grinding wheel of 2 cm face width.	

Assume work speed as 15 m/min. and depth of cut as 0.25 mm. (8)

_